

<p>Canon 5D iii 22MP full frame CMOS sensor ISO 100-25600 standard 6 fps continuous shooting 1080p 30 fps H.264 stereo sound via external mic 14bit, Canon original RAW Max duration 29min 59sec, Max single file size 4GB Weight: 1.90 lb / 860 g</p>	
<p>GoPro 10 Quantity: 3 5.3K 60 fps smooth 2k 120 fps smooth JPEG: 12 Megapixel, 4000 x 3000 2.4 x 1.3 x 1.8" / 6.2 x 3.2 x 4.5 cm Weight: 4.13 oz / 117 g</p>	
<p>24 to 70mm Canon EF f/2.8 - f/22 Close focus: 1.25' / 38 cm Full-Frame 3.48 x 4.45" / 88.5 x 113 mm Weight: 1.77 lb / 805 g</p>	
<p>70 to 200 mm f/2.8 - f/22 Canon EF Close focus: 3.94' / 1.2 m Full Frame 3.5 x 7.83" / 88.8 x 199 mm Weight: 3.26 lb / 1480 g Front Filter: 77 mm</p>	
<p>Lensbaby Velvet 85mm f/1.8 - f/16 Canon EF Close focus: 9.5" / 24.13 cm 2.99 x 3.5" / 76 x 89 mm Weight: 1.17 lb / 530.1 g Front filter size: 67 mm</p>	
<p>Lensbaby Velvet 56mm f/1.6 - f/16 Canon EF Full-Frame Front Filter Size: 62 mm 14.46 oz / 410 g</p>	

Lensbaby Velvet 28mm
f/2.5 - f/22
Canon EF
Full-Frame
close focus: 4.5" / 11.43 cm
Front Filter Size: 67 mm
1.04 lb / 471.74 g



Lensbaby Composer Pro II Sweet 50mm
f/2.5 - f/22
46 mm (Front)
2.5 x 2.2" / 6.3 x 5.7 cm
6.1 oz / 172.9 g



Lensbaby Composer Pro II
Sweet 35mm
f/2.5 - f/22
46 mm (Front)
2.2 x 2.5" / 5.59 x 6.35 cm
7.3 oz / 206.96 g



Manfrotto 501HDV Tripod
Load Capacity 13.2 lbs (6.0kg)
Maximum Height 59.45" (151 cm)
Minimum Height 33.07" (84cm)
Weight: 12.5 lbs (5.6kg)



Sony VTC 1170RM
Load Capacity 11 lb (5 kg)
Maximum Height 59.2" (150.5 cm)
Minimum Height 29" (73.5 cm)
Weight: 7 lbs. (3.2 kg)



Sony VCT VPR1

Load Capacity 6.62 lb (3.0 kg)
 Maximum Height 57.75" (1.46 m)
 Minimum Height 17.25" (0.43 m)
 Weight: 2.62 lb (1.2 kg)



RODE NTG 2

Sound Field: Mono
 Supercardioid
 Signal to Noise Ratio: 76 dB
 Weight: 5.68 oz / 161 g (Microphone)
 Connection: XLR



Boom Pole
 Boom Cradle

Rode VIDEOMIC PRO+

Mono
 Signal-to-Noise Ratio: 79.8 dB
 Weight: 4.3 oz / 122 g
 Mounting: 3/8"-16 Female, Camera-Mount, Shockmount
 Battery: 100 Hours
 Connection: 1/8" (3.5mm) audio jack



Sennheiser AVX ME

Wireless Microphone System
 (1.9 GHz)
 Receiver approximately 4 hours of battery life
 Transmitters approximately 12 hours of battery life
 Up to eight AVX systems can operate simultaneously in the same area
 Connection: XLR








One Hand Held
 Three Lavaliers

Impact Heavy-Duty Air-Cushioned Light Stand

Weight: 4.4 lb (2.0 kg)
 Quantity: 8
 Load Capacity: 22 lb
 Max. Height: 114"
 Min. Height: 48"
 Folded Length: 42"

Removable 5/8" (16 mm) spigot with 1/4"-20 and 3/8"-16 threaded ends



<p>Quantity: 3</p>	
<p>Quantity: 1</p>	
<p>Dracast LED1500 Fresnel Quantity: 2 Beam Angle: 15 to 60° Daylight Only: 5600K CRI 95 15.8 x 9.8 x 8.3" / 400.0 x 250.0 x 210.0 mm 10.56 lb / 4.79 kg 5/8" Receiver 150 W</p>	
<p>Dracast LED2000 Kala Daylight LED Quantity: 3 CRI: 96 Daylight Only, 5600K 100 W V-Mount battery adapter 20 x 15 x 2.0" / 63.5 x 38 x 5.0 cm 9.9 lb / 4.5 kg</p>	
<p>Neewer 60 Dimmable Waterproof LED Max Lumen: 1800 Approximate Running time :2 hour Submerge up to 131 feet/40m Dimensions: 4.3x3.1x2 inches/11x7.8x5cm Weight: 10.2ounces/290 grams</p>	
<p>Suptig Dimmable Waterproof LED Max Lumen: 500 Approximate Running time: 1 hour Submerge up to 147ft (45M) Dimensions: 4.3x3.1x2 inches/11x7.8x5cm Weight: 10.2ounces/290 grams (batteries: 90g)</p>	